



MATERIAL HANDLING EQUIPMENT

PRODUCT REFERENCE GUIDE

RAYMOND




OPTIMIZE, CONNECT, AUTOMATE.




OPTIMIZE your operations, systems, assets, fleet and personnel to ensure everything in your facility provides the most value. Raymond applies the principles of lean management to help you achieve optimization, eliminate inefficiencies, and identify and solve challenges.

Solutions include Lean Management, Material Handling Equipment, Financing, Rentals, Virtual Reality Learning and Maintenance/Service.



CONNECT your facilities with innovative technologies. Smart technologies, like telematics, help operations gather and analyze data — providing actionable insights that can be implemented to deliver measurable business results.


Solutions include Telematics, Operator Assist Technologies, Labor Management Systems, Real-Time Location Systems, Object Detection and Notification Systems, and Consulting.



AUTOMATE your operations to make production and distribution processes efficient, easily repeatable, consistent and cost-effective. Automation will enhance processes, maximize existing labor and resources, as well as make your warehouse more scalable.

Solutions include Automated Guided Vehicles, Automated Storage and Retrieval Systems, Robotics and Consulting Services.

PALLET TRUCKS



Due to continuous product improvement, specifications are subject to change without notice. Some features shown are optional at extra cost.



HAND PALLET TRUCK

- + Lightweight loads
- + Intermittent duty cycles
- + On delivery trucks
- + Dock work

RJ50

- + Load Capacity lbs. (kg):
5500 (2495)



LITHIUM-ION WALKIE

- + Quick battery changes optimize uptime
- + Opportunity charging minimizes downtime
- + Key pad access prevents unauthorized use

RBW33

- + Load Capacity lbs. (kg):
3300 (1496)



LITHIUM-ION WALKIE

- + Quick battery changes optimize uptime
- + Opportunity charging minimizes downtime
- + Key pad access prevents unauthorized use

RBW45

- + Load Capacity lbs. (kg):
4500 (2041)





WALKIE PALLET TRUCK

- + Short walking distance
- + Light duty cycles
- + Retail, wholesale delivery and food processing applications
- + Navigating in tight spaces

8210

- + Load Capacity lbs. (kg):
4500 (2041)



WALKIE PALLET TRUCK

- + Short walking distance
- + Light duty cycles
- + Retail store, wholesale delivery and food processing applications
- + Longer routines and faster recharging

8250

- + Load Capacity lbs. (kg):
5000 (2268)



WALKIE PALLET TRUCK

- + Short walking distance
- + Heavy duty cycles
- + Dock work
- + Limited horizontal transport and order picking

8310

- + Load Capacity lbs. (kg):
6000, 8000 (2722, 3629)





END RIDER PALLET TRUCK

- + Longer travel distances
- + Heavy duty cycles
- + Multiple pallets per trip
- + Dock, horizontal transport and order picking

8410

- + Load Capacity lbs. (kg):
6000, 8000 (2722, 3629)

SECOND LEVEL ORDER PICKING
MODEL WITH PICK STEPS AVAILABLE



CENTER RIDER PALLET TRUCK

- + Longer travel distances
- + Heavy duty cycles
- + Handle multiple pallets per trip
- + Horizontal transport and order picking

8510

- + Load Capacity lbs. (kg):
6000, 8000 (2722, 3629)



CENTER RIDER PALLET TRUCK SECOND LEVEL

- + Travel at height
- + Truck/picking access from both sides
- + Elevated operator compartment (up to 47")

8720

- + Load Capacity lbs. (kg):
6000, 8000 (2722, 3629)





SIDE ENTRY PALLET TRUCK

- + Longer travel distances
- + Heavy duty cycles
- + Dock work and load/unload trailers
- + Multiple pallets per trip

8810

- + Load Capacity lbs. (kg):
6000, 8000 (2722, 3629)



RIDER PALLET TRUCK

- + Longer travel distances
- + Heavy duty cycles
- + Dock, horizontal transport and order picking

8910

- + Load Capacity lbs. (kg):
6000, 8000 (2722, 3629)



TOW TRACTOR

- + Longer travel distances
- + Heavy duty cycles
- + Multiple pallets per trip
- + Applications that pull carts
- + Horizontal transport and order picking

8610

- + Load Capacity lbs. (kg):
10000 (4536) (flat surface)





TOW TRACTOR

- + Longer travel distances
- + Heavy duty cycles
- + Applications that pull carts
- + Horizontal transport and order picking

8630

- + Load Capacity lbs. (kg):
15000 (6804) (flat surface)



RIDER STACKER

- + Maximize vertical storage
- + Maneuverability in tight spaces
- + Load/unload trailers
- + Order picking

8530

- + Load Capacity lbs. (kg):
2500 (1134)



WALKIE STACKERS



Due to continuous product improvement, specifications are subject to change without notice. Some features shown are optional at extra cost.



LITHIUM-ION STRADDLE STACKER

- + Electric travel, lift, and lower
- + Dual thumb controls
- + Load backrest
- + Ideal for different sized pallets

RBS26-S

- + Load Capacity lbs. (kg):
2600 (1179) (2200 lbs for 140" mast)



LITHIUM-ION FORK OVER STACKER

- + Electric travel, lift, and lower
- + Dual thumb controls
- + Load backrest (standard)
- + Ideal for bottom-board-free pallet applications

RBS26-F

- + Load Capacity lbs. (kg):
2500 (1133) (Single stage)



WALKIE STRADDLE

- + Retail store, dock-to-stock and light duty applications
- + Maximize vertical storage
- + Maneuverability in tight spaces
- + Load/unload trailers

6210

- + Load Capacity lbs. (kg):
2000, 2500 (907, 1134)





WALKIE STRADDLE

- + Short travel distances with need to stack 2-4 levels high
- + Small aisle requirement
- + Ideal for smaller storage areas
- + Pallet storage and retrieval

6310

- + Load Capacity lbs. (kg):
2200, 3000, 4000 (998, 1361, 1814)



WALKIE REACH

- + Short travel distances with need to stack 2-4 levels high
- + Small aisle requirement
- + Variety of pallet widths
- + Pallet storage and retrieval

6410

- + Load Capacity lbs. (kg):
3000 (1361)



WALKIE COUNTERBALANCED

- + Short travel distances with need to stack 2-4 levels high
- + Ideal for heavy-duty applications
- + Pallet storage and retrieval

6510

- + Load Capacity lbs. (kg):
2000, 3000, 4000 (907, 1361, 1814)



COUNTERBALANCED



Due to continuous product improvement, specifications are subject to change without notice. Some features shown are optional at extra cost.



STAND-UP COUNTERBALANCED TRUCK

- + Frequent on/off
- + Loading/unloading trailers and containers
- + Dock-to-stock transport
- + Attachments

4260

- + Load Capacity lbs. (kg):
3000, 3500, 4000, 5000 (1361,
1588, 1814, 2268)



3-WHEEL SIT-DOWN CUSHION COUNTERBALANCED TRUCK

- + Long runs
- + Infrequent on/off
- + Loading/unloading trailers
- + Dock-to-stock/staging

4460

- + Load Capacity lbs. (kg):
3000, 3500, 4000 (1361, 1588,
1814)





SIT-DOWN CUSHION COUNTERBALANCED TRUCK

- + Long runs
- + Infrequent on/off
- + Attachments
- + Dock-to-stock/staging

4750

- + Load Capacity lbs. (kg):
3000, 3500, 8000, 10000, 12000
(1361, 1588, 3629, 4536, 5443)



SIT-DOWN CUSHION COUNTERBALANCED TRUCK

- + Long runs
- + Infrequent on/off
- + Attachments
- + Dock-to-stock/staging

4760

- + Load Capacity lbs. (kg):
4000, 5000, 5500, 6000, 6500
(1814, 2268, 2495, 2722, 2948)





SIT-DOWN PNEUMATIC COUNTERBALANCED TRUCK

- + Indoor/outdoor applications
- + All weather protection
- + Attachments
- + Dock-to-stock/staging

4800

- + Load Capacity lbs. (kg):
4000, 5000, 5500, 6000, 6500,
7000 (1814, 2268, 2495, 2722,
2948, 3175)



SIT-DOWN PNEUMATIC COUNTERBALANCED TRUCK

- + Indoor/outdoor applications
- + All weather protection
- + Attachments
- + High capacity

4810

- + Load Capacity lbs. (kg):
8000, 9000, 11000 (3629, 4082,
4990)





SIT-DOWN PNEUMATIC COUNTERBALANCED TRUCK

- + Indoor/outdoor applications
- + All weather protection
- + Integrated 90V lithium-ion battery
- + Attachments

4880

- + Load Capacity lbs. (kg):
8000, 9000, 10000, 11000, 13500,
15500, 17500 (3629, 4028, 4536,
4990, 6123, 7031, 7938)



NARROW AISLE REACH-FORK





Due to continuous product improvement, specifications and features may vary without notice. Some features shown are optional at extra cost.



UNIVERSAL STANCE REACH-FORK® TRUCK

- + Designed for rack interface
- + Pallet storage and retrieval

7200/7300

- + Heights up to 31'
- + Load Capacity lbs. (kg): 3500, 4000, 4500 (1588, 1814, 2041)

7500

- + Heights up to 37'
- + Load Capacity lbs. (kg): 3500, 4500 (1588, 2041)



DOCKSTANCE REACH-FORK® TRUCK

- + More horizontal transportation
- + Pallet storage and retrieval

7200/7300

- + Heights up to 31'
- + Load Capacity lbs. (kg): 3500, 4000, 4500 (1588, 1814, 2041)

7500

- + Heights up to 37'
- + Load Capacity lbs. (kg): 3500, 4500 (1588, 2041)



SIT/STAND REACH-FORK® TRUCK

- + Maximum throughput needs
- + Longer horizontal transportation
- + Pallet storage and retrieval

7700

- + Heights up to 31'
- + Load Capacity lbs. (kg): 4500 (2041)





DEEP-REACH® REACH-FORK TRUCK

- + Maximum throughput needs
- + Double deep storage
- + Pallet storage and retrieval

7200/7300/7500/7700

- + Heights up to 31'
- + Load Capacity lbs. (kg):
3000, 3200 (1360, 1451)



4-D® REACH-FORK TRUCK

- + 4-directional
- + Wide load handling up to 21.5'
- + Pallet and wide load storage and retrieval

7310

- + Heights up to 22'
- + Load Capacity lbs. (kg):
4500 (2041)



HIGH CAPACITY REACH-FORK® AND DEEP-REACH® TRUCKS

- + Maximum throughput needs
- + Ultimate storage capacity and retrieval
- + Universal, Sit/Stand and Dockstance compartments

7530/7730

- + Heights up to 45'
- + Load Capacity lbs. (kg):
4500 (2041)



VERY NARROW AISLE





Due to continuous product improvement, specifications are subject to change without notice. Some features shown are optional at extra cost.



SWING-REACH® TRUCK

- + Very narrow aisle storage
- + Typically wire-guided applications
- + Storing and retrieving full pallets or case picking

9600/9700

- + Heights up to 42'
- + Load Capacity lbs. (kg):
3000 (1361)



SWING-REACH® TRUCK

- + Very narrow aisle storage
- + Typically wire-guided applications
- + High level pallet handling

9800

- + Heights up to 49'
- + Load Capacity lbs. (kg):
3300 (1500)





SIDELoader

- + Designed for rack interface

9300/9400

- + Heights up to 30'
- + Wide load handling up to 30'
- + Load Capacity lbs. (kg):
6000, 12000 (2722, 5443)



TRANSTACKER

- + Guided applications
- + Storing and retrieving full pallets or case picking
- + More weight to higher heights up to 58'

TRT

- + Very narrow aisle storage up to 59'
- + Load Capacity lbs. (kg):
4000 (1814)



ORDERPICKERS



Due to continuous product improvement, specifications are subject to change without notice. Some features shown are optional at extra cost.



ORDERPICKER

- + Light/medium duty
- + Case or piece picking

5300

- + Heights up to 20'
- + Load Capacity lbs. (kg):
3000 (1361)



ORDERPICKER

- + Medium/heavy duty
- + Case or piece picking

5500

- + Heights up to 30'
- + Load Capacity lbs. (kg):
3000 (1361)





FURNITURE ORDERPICKER

- + Multiple shifts
- + Bulky items/furniture

5500/5600

- + Heights up to 32'
- + Load Capacity lbs. (kg):
1600 (726)



HIGH CAPACITY ORDERPICKER

- + High-performance applications
- + Case or piece picking
- + Bulky items/heavy pick carts

5600

- + Heights up to 38'
- + Load Capacity lbs. (kg):
3000 (1361), 2500 lbs. up to 33'



AUTOMATION





Due to continuous product improvement, specifications are subject to change without notice. Some features shown are optional at extra cost.



AUTOMATED SWING-REACH® TRUCK

- + Full pallet movements
- + High density storage
- + High stock keeping units (SKUs)
- + Reserve pallet storage area
- 3960 | 3970**
- + Very narrow aisle storage up to 50'



AUTOMATED TRANSTACKER

- + Automated operations in the aisle
- + Storing and retrieving full pallets (plus case picking in manual mode)
- + Flexibility to move from aisle to aisle (with operator)
- + Same speeds as manual truck

AUTO TRT

- + Very narrow aisle storage up to 59'
- + Load Capacity lbs. (kg): 3000 (1361)





RADIOSHUTTLE®

- + Store more pallets in a lane
- + Every level can be a unique SKU
- + Pallets move through rack independent of a lift truck
- + Cost effective automation

RADIOSHUTTLE

- + Load Capacity lbs. (kg): Up to 440 (199)
- + Dimensions: 40.5" x 23.8" x 10.8" (LxWxH)




YOUR COMPLETE INTRALOGISTICS SOLUTIONS PARTNER

Raymond is your single source for intralogistics innovation—a strategic partner offering end-to-end, data-driven, scalable solutions for the modern warehouse.

Far beyond a forklift manufacturer, we create comprehensive, connected material handling ecosystems designed to help you cut lead times, reduce waste, minimize downtime, and improve quality.

By combining industry expertise and lean management principles with everything from advanced material handling equipment and automation to labor management tools and support services, we can provide tailored solutions that optimize your people, processes, and facilities, and drive your business forward.



RUN BETTER. MANAGE SMARTER.®

At Raymond, our aim is to deliver the utmost quality and to work for continuous improvement every day, in every aspect of our business. We are proud of what we build. We are proud of the level of service we provide to keep our customers' businesses up and running. We take pride in our commitment to our customers through our end-to-end approach in helping them find smarter, more efficient, and more effective solutions.

We value the trust that Raymond has earned through decades of proven performance and hands-on innovation. Since the patenting of the first hand pallet truck to the invention of the reach truck to our pioneering work in narrow aisle operations and beyond, Raymond has led the way in providing customers with the tools and expertise to improve their business.

IF YOU'RE LOOKING FOR A PARTNER WITH THE TOOLS AND
EXPERIENCE TO HELP YOU RUN BETTER AND MANAGE
SMARTER, LET'S TALK.

For a demonstration of the Raymond Advance Operator Assist Technology or Pick2Pallet LED Light System, please contact your local Raymond Solutions and Support Center.

PO Box 130
Greene, New York 13778-0130

Toll free 1-800-235-7200
Fax 1-607-656-9005

www.raymondcorp.com

Due to continuous product improvements, specifications are subject to change without notice. Some systems and features shown are optional at extra cost. Raymond, iBATTERY and iWAREHOUSE are U.S. trademarks of The Raymond Corporation.

©2026 The Raymond Corporation
Printed in USA
SIPB-1155 726

RAYMOND